

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/805,144	03/14/2001	Ryoutarou Matsuda	P 0275317 TLG200107	1956
	90 02/16/2005	EXAMINER		
PILLSBURY WINTHROP, LLP			PATEL, ASHOK	
P.O. BOX 1050				
MCLEAN, VA 22102		ART UNIT	PAPER NUMBER	
			2879	
		DATE MAILED: 02/16/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

09/805, 144

CONTROL NO.

FILING DATE

FIRST NAMED INVENTOR /
PATENT IN REEXAMINATION

ATTORNEY DOCKET NO.

KA

EXAMINER

ART UNIT

PAPER

02102005

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

This communication is in response to applicant's inquiry with the Examiner on 02/09/2005 regarding a non-considered prior art reference DE 971,544 in paper no 020205.

Upon review of entire content of the IDS and prior art references (that applicant filed on 12/23/2004) in the IFW data, the Examiner realized that applicant had submitted English abstrcat of the prior art reference DE 971,544. The Examiner could not verify applicant's submission of the English abstract of the prior art reference DE 971,544 at the time of isuing last office action (paper no. 020205).

The Examiner therefore considers the previously non-considered prior art reference DE 971,544.

Enclosed please a copy of the PTOL-1449, filed by applicant on 12/23/2004. Please note that all other prior art references are crossed-out since they were already considered in the paper no. 020205.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ashok Patel whose telephone number is 571-272-2456. The examiner can normally be reached on Monday-Thursday.

Ashok Patel Primary Examiner Art Unit: 2879

AIT OIL

09/805,144

PTO-90C (Rev.04-03)

enclosure: 2 Pages of PTOL-1449